Author Index

ABDULLA E. *see* BOMFORD R.
ABRAHAM G.N. *see* WILLIAMS J.M.
ALOUF J.E. *see* BREMM K.D.
AMPEL N.M. *see* MAGEE D.M.
ANDRESS H.J. & BRENT L. Activation of lymphocytes isolated from the gastric mucosa of the mouse, 613
ANSTEE D.J. *see* SPRING F.A.
AOIKE A. *see* HOSOKAWA T.
APPLETON J.A. & MCGREGOR D.D. Characterization of the immune mediator of rapid expulsion of *Trichinella spiralis* in suckling rats, 477
AREVALO J.H. *see* STURA E.A.
ARNALL J.C. & HORTON J.D. *In vivo* studies on allotolerance perimetamorphically induced in control and thymectomized *Xenopus*, 315
ASHERSON G.L. *see* LITTLE J.A.
ASKONAS B.A. *see* CANNON M.J.
ASKONAS B.A. *see* LIGHTMAN S.
ATWAL A. *see* WIENER E.
AUSTYN J.M. Lymphoid dentritic cells, 161

BABIN-CHEVAYE C. *see* PHAM HUU T.
BACON P.A. *see* SALMON M.
BAKER D., PARKER D., HEALEY D.G. & TURK J.L. Induction of sensitization and tolerance in contact sensitivity with haptenated epidermal cells in the guinea-pig, 659
BAKOUCHE O., MOUGIN B. & GERLIER D. *In vitro* cellular immune response to measles viral glycoproteins: role of the antigen vector, 605
BALLESTRERO A. *see* DALLEGRI F.
BALSANO F. *see* BARNABA V.
BANGA J.P. *see* SULEYMAN S.
BARFOOT R. *see* DENHAM S.
BARNABA, V., RUBERTI G., LEVRERO M. & BALSANO F. *In vitro* induction of HBsAg-specific CD8 CD11 human suppressor T cells, 431
DE LA BARRERA S., FAINBOIM L., LUGO S., PICCHIO G.R., MUCHINIK G.R. & DE BRACCO M.M.E. Anti-class II antibodies in AIDS patients and AIDS-risk groups, 599
BAUD L., KOO C.H. & GOETZL E.J. Specificity and cellular distribution of human polymorphonuclear leucocyte receptors for leukotriene C_4, 53
BELLUARDO N., MUDÓ G., CELLA S., SANTONI A., FORNI G. & BINDONI M. Hypothalamic control of certain aspects of natural immunity in the mouse, 321
BENNER R. *see* MOLENDIJK A.
BENNER R. *see* SABBELE N.R.
VAN DEN BERG W.B. *see* VAN LENT P.L.E.M.
VAN DEN BERSSELAAR L. *see* VAN LENT P.L.E.M.
BHAKDI S. *see* SASSI F.
BIANCHI A.T.J. *see* VAN DER HEIJDEN P.J.
BINDONI M. *see* BELLUARDO N.
BOMFORD R., ABDULLA E., HUGHES-JENKINS C., SIMPKIN D. & SCHMIDT J. Antibodies to interleukin-1 raised with synthetic peptides: identification of external sites and analysis of interleukin-1 synthesis in stimulated human peripheral blood monocytes, 543
DE BRACCO M.M.E. *see* DE LA BARRERA
BRANDON M.R. *see* MADDOX J.F.
BRANDON M.R. *see* PURI N.K.
BREMM K.D., KÖNIG W., THELESTAM M. & ALOUF J.E. Modulation of granulocyte functions by bacterial exotoxin and endotoxins, 363
BRENT L. *see* ANDRESS H.J.
BROWN I.N. & GLYNN A.A. The *Ity/Lsh/Bcg* gene significantly affects mouse resistance to *Mycobacterium lepraemurium*, 587
BULMER J.N. *see* RITSON A.
BYFIELD P.G. *see* CHAMPION B.R.

CALLARD R.E. & TIERNAN S.L. Specific antibody responses by high- and low-density human peripheral blood B cells: T-helper cells and T-cell replacing factor (TRF) act on different B-cell supopulations, 451
CANNON M.J., STOTT, E.J., TAYLOR G. & ASKONAS B.A. Clearance of persistent respiratory syncytial virus infections in immunodeficient mice following transfer of primed T cells, 133
CARR T. *see* TAYLOR G.M.
CARROLL A.M. & GREENE M.I. Anti-I-A antibody modulation of lymphocyte traffic in hapten-stimulated inbred mice, 471
CASAL I., VIÑUELA E. & ENJUANES L. Synthesis of african swine fever (ASF) virus-specific antibodies *in vitro* in a porcine leucocyte system, 207
CELLA S. *see* BELLUARDO N.
CHAMPION B.R., PAGE K., RAYNER D.C., QUARTEY-PAPAFIO R., BYFIELD P.G. & HENDERSON G. Recognition of thyroglobulin autoantigenic epitopes by murine T and B cells, 255
CHANANA A.D. *see* JOEL D.D.
CHATURVEDI U.C. *see* RIZVI N.
CHEN S.-H. *see* VENTO S.
CHOLLET-MARTIN S. *see* PHAM HUU T.
CHRISTENSEN P. *see* SCHRODER A.K.
COBBOLD S. *see* LIGHTMAN S.
COHEN N. *see* WATKINS D.
COOPER R.C. *see* ORREN A.
CRAWFORD D.H. *see* GOLAY J.T.
CYPESS R.H. *see* ENRIQUEZ F.J.

DALLEGRI F., FRUMENTO G., BALLESTRERO A., GORETTI R., TORRESIN A. & PATRONE F. Antibody-dependent tumour cytolysis by human neutrophils: effect of synthetic serine esterase inhibitors and substrates, 387
DAL MONTE P. R. *see* VENTO S.
DANIELS G.L. *see* SPRING F.A.
DEBRE P. *see* PHAM HUU T.
DENHAM S., BARFOOT R. & JACKSON E. A receptor for monomeric IgG2b on rat macrophages, 69
DEN OTTER W. *see* LOS G.
DE WEGER R.A. *see* LOS G.
DIEZ E. *see* HOUSSAINT E.
DIGHIERO G., LIM A., PONCET P., KAUSHIK A., GE X.-R. & MAZIÉ J.-C. Age-related natural antibody specificities among hybridoma clones originating from NZB spleen, 341
DONSELAAR I.G. *see* MOLENDIJK A.
DOTSIKA E.N. & SANDERSON C.J. Interleukin-3 production as a sensitive measure of T-lymphocyte activation in the mouse, 665
DUIJVESTIJN A.M. *see* JEURISSEN S.J.M.
DUMONDE D.C. *see* SULEYMAN S.

EBERSOLE J.L., TAUBMAN M.A., SMITH D.J. & FREY D.E. Carrier-specific recognition for induction of secretory IgA anamnestic antibody responses, 185
EDDLESTON A.L.W.F. *see* VENTO S.
ELIAKIM R. *see* GILEAD L.
ELLIOTT D. *see* LING N.R.
ELLIS J.A. *see* EMERY D.L.
EMERY D.L., MACHUGH N.D. & ELLIS J.A. The properties and functional activity of non-lymphoid cells from bovine afferent (peripheral) lymph, 177
EMOTO M. *see* KITA E.
ENJUANES L. *see* CASAL I.
ENRIQUEZ F.J., JACOBSON R.H., CYPESS R.H. & WASSOM D.L. Adoptive transfer of resistance to *Nematospiroides dubius* infections of mice and

an assay to measure the *in vitro* proliferation of lymphocytes reactive with *N. dubius* antigen, 223

FAINBOIM L. *see* DE LA BARRERA S.
FEINSTEIN A. *see* STRURA E.A.
FERRANTE A. *see* KOWANKO I.C.
FERRANTE A. *see* SEOW W.K.
FICH A. *see* GILEAD L.
FLUIT A.C. *see* VAN KESSEL K.P.M.
FOLKESSON H. *see* TELEMO E.
FORNI G. *see* BELLUARDO N.
FORNŮSEK L. *see* VĚTVIČKA V.
FRANK M.M. *see* FRIES L.F.
FRANK M.M. *see* GAITHER T.A.
FREY D.E. *see* EBERSOLE J.L.
FRIES L.F., SIWIK S.A., MALBRAN A. & FRANK M.M. Phagocytosis of target particles bearing C3b–IgG covalent complexes by human monocytes and polymorphonuclear leucocytes, 45
FRUMENTO G. *see* DALLEGRI F.
FUFITA T. *see* IIDA K.

GAITHER T.A., VARGAS I., INADA S. & FRANK M.M. The complement fragment C3d facilitates phagocytosis by monocytes, 405
GAULT E.A. *see* MCMENAMIN C.C.
GE X.-R. *see* DIGHIERO G.
GEORGE J.F., KARP R.D., RELLAHAN B.L. & LESSARD J.L. Alteration of the protein composition in the haemolymph of American cockroaches immunized with soluble proteins, 505
GERLIER D. *see* BAKOUCHE O.
GIBSON S., MACKELLAR A., NEWLANDS G.F.J. & MILLER H.R.P. Phenotypic expression of mast cell granule proteinases. Distribution of mast cell proteinases I and II in the rat digestive system, 621
GIBSON S. *see* NEWLANDS G.F.J.
GILEAD L., LIVNI N., ELIAKIM R., LIGUMSKY M., FICH A., OKON E., RACHMILEWITZ D. & RAZIN E. Human gastric mucosal mast cells are chondroitin sulphate E-containing mast cells, 23
GINBURG C.H., WISNIEWSKI E. & GREENE M.I. The role of an anti-idiotype antibody in regulating hapten (azobenzenearsonate)-specific granuloma formation, 335
GIULIANA-PICCARI G. *see* VENTO S.
GLYNN A.A. *see* BROWN I.N.
GOETZL E.J. *see* BAUD L.
GOLAY J.T. & CRAWFORD D.H. Pathways of human B-lymphocyte activation blocked by B-cell specific monoclonal antibodies, 279
GOOD R.A. *see* IWAI H.
GOREVIC P.D. *see* WILLIAMS J.M.
GORICK B. *see* WIENER E.
GORRELL M.D. *see* PURI N.K.
GORETTI R. *see* DALLEGRI F.
GOUGEROT-POCIDALO M.-A. *see* PHAM HUU T.
GREENE M.I. *see* CARROLL A.M.
GREENE M.I. *see* GINSBURG C.H.
GRENCIS R. *see* NEWLANDS G.F.J.
VAN GURP R.J.H.L.M. *see* MOLENDIJK A.

HAIG D.M. *see* MCMENAMIN C.C.
HAKIM J. *see* PHAM HUU T.
HALLIDAY G.M. *see* ODLING K.A.
HANADA K. *see* HOSOKAWA T.
HANDA T. *see* KOGA T.
HARRISON C. *see* TAYLOR G.M.
HEALEY D.G. *see* BAKER D.
HEAP R.B. *see* STURA E.A.
VAN DER HEIJDEN P.J., STOK W. & BIANCHI A.T.J. Contribution of immunoglobulin-secreting cells in the murine small intestine to the total 'background' immunoglobulin production, 551
HENDERSON G. *see* CHAMPION B.R.
HIGGINS D.A., SHORTRIDGE K.F. & NG P.L.K. Bile immunoglobulin of the duck (*Anas platyrhynchos*). II. Antibody response in influenza A virus infections, 499
HIGUCHI K. *see* HOSOKAWA T.
HIRAYAMA Y., INABA K., KOMATSUBARA S., YOSHIDA K., KAWAI J., NAITO K. & MURAMATSU S. Accessory cell functions of dendritic cells and macrophages in the thymic T-cell response to Con A, 393
HIRUMA K. *see* NAKAMURA H.
HOLÁŇ V. *see* VĚTVIČKA V.
HOLT P.G. & SCHON-HEGRAD M.A. Localization of T cells, macrophages and dendritic cells in rat respiratory tract tissue: implications for immune function studies, 349
HOOIJKAAS H. *see* SABBELE N.R.
HORTON J.D. *see* ARNALL J.C.
HOSOKAWA T., HOSONO M., HANADA K., AOIKE A., KAWAI K. & TAKEDA T. Immune responses in newly developed short-lived SAM mice. II. Selectively impaired T-helper cell activity in *in vitro* antibody response, 425
HOSOKAWA T., HOSONO M., HIGUCHI K., AOIKE A., KAWAI K. & TAKEDA T. Immune responses in newly developed short-lived SAM mice. I. Age-associated early decline in immune activities of cultured spleen cells, 419
HOSONO M. *see* HOSOKAWA T.
HOUSSAINT E., DIEZ E. & PINK J.R.L. Ontogeny and tissue distribution of the chicken Bu-la antigen, 463
HOWARD C.R. *see* VENTO S.
HUGHES-JENKINS C. *see* BOMFORD R.
HUGHES-JONES N.C. *see* WIENER E.
HUGO F. *see* SASSI F.

IIDA K., MITOMO K., FUJITA T. & TAMURA N. Characterization of three monoclonal antibodies against C3 with selective specificities, 413
IKEHARA S. *see* IWAI H.
INABA K. *see* HIRAYAMA Y.
INABA M. *see* IWAI H.
INADA S. *see* GAITHER T.A.
IWAI H., YASUMIZU R., SUGIURA K., INABA M., KUMAZAWA T., GOOD R.A. & IKEHARA S. Successful pancreatic allografts in combination with bone marrow transplantation in mice, 457

JACKSON E. *see* DENHAM S.
JACKSON S.K. *see* MATTHEWS N.
JACOBS R.F. *see* TABOR D.R.
JACOBSON R.H. *see* ENRIQUEZ F.J.
JAKOBSSON I. *see* TELEMO E.
JEURISSEN S.H.M., DUIJVESTIJN A.M., SONTAG Y. & KRAAL G. Lymphocyte migration into the lamina propria of the gut is mediated by specialized HEV-like blood vessels, 273
JOEL D.D. & CHANANA A.D. Distribution of lung-associated lymphocytes from the caudal mediastinal lymph node: effect of antigen, 641
JOHANSSON P.J. *see* SCHRÖDER A.K.
JUDSON P.A. *see* SPRING F.A.

KARP R.D. *see* GEORGE J.F.
KASHIBA S. *see* KITA E.
KATSUI N. *see* KITA E.
KAUSHIK A. *see* DIGHIERO G.
KAWAGUCHI S. Phospholipid epitopes for mouse antibodies against bromelain-treated mouse erythrocytes, 11
KAWAI J. *see* HIRAYAMA Y.
KAWAI K. *see* HOSOKAWA T.
KAY A.B. *see* O'HEHIR R.E.
KHALED A. *see* SASSI F.
KIEL D.P. *see* TABOR D.R.
KITA E., EMOTO M., KATSUI N., NISHI K., YASUI K., YASUI K. & KASHIBA S. Analysis of immunity to infection with *Salmonella typhimurium* in outbred mice. II. Isolation and immungenicity of the protective non-O antigenic component from ribosomal vaccine, 235
KNOX D.P. *see* NEWLANDS G.F.J.
KOGA T., MITSUYAMA M., HANDA T., YAYAMA T., MURAMORI K. & NOMOTO K. Induction by killed *Listeria monocytogenes* of effector T cells mediating delayed-type hypersensitivity but not protection in mice, 241
KOIKE T. *see* NAKAMURA H.
KOMATSUBARA S. *see* HIRAYAMA Y.
KÖNIG W. *see* BREMM K.D.
KOO C.H. *see* BAUD L.
KOWANKO I.C. & FERRANTE A. Stimulation of neutrophil respiratory burst and lysosomal enzyme release by human interferon-gamma, 149
KRAAL G. *see* JEURISSEN S.H.M.
KUMAZAWA T. *see* IWAI H.

LAMB J.R. *see* O'HEHIR R.E.
LEIJH P.C.J. *see* NIBBERING P.H.
VAN LENT P.L.E.M., VAN DEN BERG W.B., SCHALKWIJK J., VAN DE PUTTE L.B.A. & VAN DEN BERSSELAAR L. Allergic arthritis induced by cationic antigens: relationship of chronicity with antigen retention and T-cell reactivity, 265
LEON M.A. *see* SAWADA J.-I.
LESSARD J.L. *see* GEORGE J.F.
LEVETON C. *see* ROOK G.A.W.
LEVRERO M. *see* BARNABA V.
LIGHTMAN S., COBBOLD S., WALDMANN H. & ASKONAS B.A. Do L3T4$^+$ T cells act as effector cells in protection against influenza virus infection, 139
LIGUMSKY M. *see* GILEAD L.
LIM A. *see* DIGHIERO G.
LING N.R., ELLIOTT D. & LOWE J. Modulation of the murine immune response to human IgG by complexing with monoclonal antibodies. I. Antibody responses to determinants on the constant region of light chains and gamma chains, 1
LING N.R., ELLIOTT D. & LOWE J. Modulation of the murine immune response to human IgG by complexing with monoclonal antibodies. II. Antibody responses to idiotopes of the human IgG paraprotein and of the mouse monoclonal antibodies, 7
LITTLE J.A. & ASHERSON G.L. F_1 mice make two species of antigen-specific, parental haplotype-restricted, T-helper factor whose restrictions correspond to the phenotype of the I-A determinants that they bear, 445
LIVINI N. *see* GILEAD L.
LOHOFF M. *see* SOLBACH W.
LOONEY R.J. *see* WILLIAMS J.M.
LOS G., DE WEGER R.A., MOBERTS R.M.P., VAN LOVEREN H., SAKKERS R.J. & DEN OTTER W. The absence of delayed-type hypersensitivity reactivity in a syngeneic murine tumour system, 89
LOWE J. *see* LING N.R.
LUGO S. *see* DE LA BARRERA S.

MACDOUGALL S.L., SCHWARTING G.A., PARKINSON D. & SULLIVAN A.K. Increased fucosylation of glycolipids in a human leukaemia cell line (K562-clone I) with decreased sensitivity to NK-mediated lysis, 75
MCGREGOR D.D. *see* APPLETON J.A.
MACHUGH N.D. *see* EMERY D.L.
MACKAY C.R. *see* MADDOX J.F.
MACKELLAR A. *see* GIBSON S.
MCMENAMIN C.C., GAULT E.A. & HAIG D.M. The effect of dexamethasone on growth and differentiation of bone-marrow derived mucosal mast cells *in vitro*, 29
MADDOX J.F., MACKAY C.R. & BRANDON M.R. Ontogeny of ovine lymphocytes. I. An immunohistological study on the development of T lymphocytes in the sheep embryo and fetal thymus, 97
MADDOX J.F., MACKAY C.R. & BRANDON M.R. Ontogeny of ovine lymphocytes. II. An immunohistological study on the development of T lymphocytes in the sheep fetal spleen, 107
MADDOX J.F., MACKAY C.R. & BRANDON M.R. Ontogeny of ovine lymphocytes. III. An immunohistological study on the development of T lymphocytes in sheep fetal lymph nodes, 113
MAGEE D.M., WING E.J., AMPEL N.M., WAHEED A. & SHADDUCK R.K. Macrophage colony-stimulating factor enhances the expression of Fc receptors on murine peritoneal macrophages, 373
MALBRAN A. *see* FRIES L.F.
MALLINSON G. *see* SPRING F.A.
MANNIK M. *see* SCHRODER A.K.
MARQUETTY C. *see* PHAM HUU T.
MATHUR A. *see* RIZVI N.
MATTHEWS N., NEALE M.L., JACKSON S.K. & STARK J.M. Tumour cell killing by tumour necrosis factor: inhibition by anaerobic conditions, free-radical scavengers and inhibitors of arachidonate metabolism, 153
MAUDSLEY S. & PEPYS M.B. Immunochemical cross-reactions between pentraxins of different species, 17
MAZIÉ J.-C. *see* DIGHIERO G.
MELAMED M.D. *see* WIENER E.
MILLER H.R.P. *see* GIBSON S.
MILLER H.R.P. *see* NEWLANDS G.F.J.
MILTENBURG L.A.M. *see* VAN KESSEL K.P.M.
MITOMO K. *see* IIDA K.
MITSUYAMA M. *see* KOGA T.
MOBERTS R.M.P. *see* LOS G.
MOLENDIJK A., VAN GURP R.J.H.L.M., DONSELAAR I.G. & BENNER R. Suppression of delayed-type hypersensitivity to histocompatibility antigens by ultraviolet radiation, 299
MONTGOMERY P.C. *see* PEPPARD J.V.
MORRIS JONES P. *see* TAYLOR G.M.
MORTEN H. *see* TAYLOR G.M.
MOUGIN B. *see* BAKOUCHE O.
MUCHINIK G.R. *see* DE LA BARRERA S.
MUDÓ G. *see* BELLUARDO N.
MUHLY M. *see* SASSI F.
MULLER H.K. *see* ODLING K.A.
MURAMATSU S. *see* HIRAYAMA Y.
MURAMORI K. *see* KOGA T.

NAGAR R. *see* RIZVI N.
NAITO K. *see* HIRAYAMA Y.
NAKAMURA H., KOIKE T., HIRUMA K., SATO T., TOMIOKA H. & YOSHIDA S. Identification of lymphoid cell lines bearing receptors for somatostatin, 655
NARDELLA F.A. *see* SCHRÖDER A.K.
NEALE M.L. *see* MATTHEWS N.
NEWLANDS G.F.J., GIBSON S., KNOX D.P., GRENCIS R., WAKELIN D. & MILLER H.R.P. Characterization and mast cell origin of a chymotrypsin-like proteinase isolated from intestines of mice infected with *Trichinella spiralis*, 629
NEWLANDS G.F.J. *see* GIBSON S.
NG P.L.K. *see* HIGGINS D.A.
NIBBERING P.H., LEIJH P.C.J. & VAN FURTH R. Quantitative immunocytochemical characterization of mononuclear phagocytes. II. Monocytes and tissue macrophages, 171
NISHI K. *see* KITA E.
NOMOTO K. *see* KOGA T.

O'BRIEN C.J. *see* VENTO S.
ODLING K.A., HALLIDAY G.M. & MULLER H.K. Enhanced survival of skin grafts depleted of Langerhans' cells by treatment with dimethylbenzanthracene, 379
O'HEHIR R.E., YOUNG D.B., KAY A.B. & LAMB J.R. Cloned human T lymphocytes reactive with *Dermatophagoides farinae* (house dust mite): a comparison of T- and B-cell antigen recognition, 635
OKON E. *see* GILEAD L.
OLIVE D. *see* PHAM HUU T.
ORREN A., POTTER P.C., COOPER R.C. & DU TOIT E. Deficiency of the sixth component of complement and susceptability to *Neisseria meningitidis* infections: studies in 10 families and five isolated cases, 249
OTTAWAY C.A. Selective effects of vasoactive intestinal peptide on the mitogenic response of murine T cells, 291

PAGE K. *see* CHAMPION B.R.
PARKER D. *see* BAKER D.
PARKINSON D. *see* MACDOUGALL S.L.
PARSONS S.C. *see* WATKINS D.
PARSONS S.F. *see* SPRING F.A.
PATRONE F. *see* DALLEGRI F.
PEPPARD J.V. & MONTGOMERY P.C. Studies on the origin and composition of IgA in rat tears, 193
PEPYS M.B. *see* MAUDSLEY S.
PERIANIN A. *see* PHAM HUU T.
PHAM HUU T., CHOLLET-MARTIN S., PERIANIN A., MARQUETTY C., SOURBIER P., BABIN-CHEVAYE C., OLIVE D., GOUGEROT-POCIDALO M.-A., DEBRE P. & HAKIM J. Comparison of blocking effects of monoclonal antibodies anti-MO1-α and anti-LFA1-α on human neutrophil functions, 61
PICCHIO G.R. *see* DE LA BARRERA S.
PINK J.R.L. *see* HOUSSAINT E.
PONCET P. *see* DIGHIERO G.
POTTER P.C. *see* ORREN A.
PURI N.K. & BRANDON M.R. Sheep MHC class II molecules. II.

Identification and characterization of four distinct subsets of sheep MHC class II molecules, 575
PURI N.K., GORRELL M.D. & BRANDON M.R. Sheep MHC class II molecules. I. Immunochemical characterization, 567
VAN DE PUTTE L.B.A. *see* VAN LENT P.L.E.M.

QUARTEY-PAPAFIO R. *see* CHAMPION B.R.

RACHMILEWITZ D. *see* GILEAD L.
RAYNER D.C. *see* CHAMPION B.R.
RAZIN E. *see* GILEAD L.
RELLAHAN B.L. *see* GEORGE J.F.
RICKINSON A.B. *see* STRANG G.
RIDWAY J. *see* TAYLOR G.M.
ŘÍHOVÁ B. *see* VĚTVIČKA V.
RITSON A. & BULMER J.N. Endometrial granulocytes in human decidua react with a natural-killer (NK) cell marker, NKH1, 329
RIZVI N., CHATURVEDI U.C., NAGAR R. & MATHUR A. Macrophage functions during dengue virus infection: antigenic stimulation of B cells, 493
ROBERTS P.J. & SEGAL A.W. The digestion of bacteral macromolecules by phagocytic cells: the effect of mepacrine and ethanol, 581
ROHWER P. *see* SOLBACH W.
RÖLLINGHOFF M. *see* SOLBACH W.
ROOK G.A.W., TAVERNE J., LEVETON C. & STEELE J. The role of gamma-interferon, vitamin D_3 metabolites and tumour necrosis factor in the pathogenesis of tuberculosis, 229
RUBERTI G. *see* BARNABA V.

SABBELE N.R., VAN OUDENAREN A., HOOIJKAAS H. & BENNER R. The effect of corticosteroids upon murine B cells *in vivo* and *in vitro* as determined in the LPS-culture system, 285
SAKKERS R.J. *see* LOS G.
SALMON M., BACON P.A. & YOUNG S.P. Natural killer cells in peripheral blood and the mixed lymphocyte response: interaction with the transferrin receptor, 81
SANDERSON C.J. *see* DOTSIKA E.N.
SANTONI A. *see* BELLUARDO N.
SASSI F., HUGO F., MUHLY M., KHALED A. & BHAKDI S. A reason for the cytolytic inefficiency of murine serum, 145
SATO T. *see* NAKAMURA H.
SAWADA J.-I., TERAO T. & LEON M.A. Roles of IL-2 and antigen in the later stages of the primary antibody response, 199
SCHALKWIJK J. *see* VAN LENT P.L.E.M.
SCHMIDT J. *see* BOMFORD R.
SCHON-HEGRAD M.A. *see* HOLT P.G.
SCHRÖDER A.K., NARDELLA F.A., MANNIK M., JOHANSSON P.J.H. & CHRISTENSEN P. Identification of the site of IgG F_C for interaction with streptococci of groups A, C and G, 523
SCHWARTING G.A. *see* MACDOUGALL S.L.
SEGAL A.W. *see* ROBERTS P.J.
SENDO F. *see* YAMASHITA T.
SEOW W.K., THONG Y.H. & FERRANTE A. Macrophage–neutrophil interactions: contrasting effects of the monokines interleukin-1 and tumour necrosis factor (cachectin) on human neutrophil adherence, 357
SHADDUCK R.K. *see* MAGEE D.M.
SHORTRIDGE K.F. *see* HIGGINS D.A.
SIMPKIN D. *see* BOMFORD R.
SIWIK S.A. *see* FRIES L.F.
SMITH D.J. *see* EBERSOLE J.L.
SOLBACH W., LOHOFF M., STRECK H., ROHWER P. & RÖLLINGHOFF M. Kinetics of cell-mediated immunity developing during the course of *Leishmania major* infection in 'healer' and 'non-healer' mice: progressive impairment of response to and generation of interleukin-2, 485
SONTAG Y. *see* JEURISSEN S.J.M.
SOURBIER P. *see* PHAM HUU T.
SPRING F.A., JUDSON P.A., DANIELS G.L., PARSONS S.F., MALLINSON G. & ANSTEE D.J. A human cell-surface glycoprotein that carries Cromer-related blood group antigens on erythrocytes and is also expressed on leucocytes and platelets, 307
STARK J.M. *see* MATTHEWS N.
STEELE J. *see* ROOK G.A.W.
STOK W. *see* VAN DER HEIJDEN P.J.
STOTT E.J. *see* CANNON M.J.
STRANG G. & RICKINSON A.B. *In vitro* expansion of Epstein–Barr virus-specific HLA-restricted cytotoxic T cells direct from the blood of infectious mononucleosis patients, 647
STRECK H. *see* SOLBACK W.
STURA E.A., AREVALO J.H., FEINSTEIN A., HEAP R.B., TAUSSIG M.J. & WILSON I.A. Analysis of an anti-progesterone antibody: variable crystal morphology of the Fab′ and steroid–Fab′ complexes, 511
SUGIURA K. *see* IWAI H.
SULEYMAN S., DUMONDE D.C. & BANGA J.P. Idiotypic expression of antibodies to retinal S-antigen in experimental autoimmune uveoretinitis, 537
SULLIVAN A.K. *see* MACDOUGALL S.L.

TABOR D.R., KIEL D.P. & JACOBS R.F. Cyclophosphamide-sensitive activity of suppressor T cells during treponemal infection, 127
TAKEDA T. *see* HOSOKAWA T.
TAMURA N. *see* IIDA K.
TAUBMAN M.A. *see* EBERSOLE J.L.
TAUSSIG M.J. *see* STURA E.A.
TAVERNE J. *see* ROOK G.A.W.
TAYLOR G.M., MORTEN H., CARR T., HARRISON C., RIDWAY J. & MORRIS JONES P. Expression of human CD antigens, including CD1 and CD25, by human × mouse interlineage leukaemia hybrids, 557
TAYLOR G. *see* CANNON M.J.
TELEMO E., JAKOBSSON I., WESTRÖM B.R. & FOLKESSON H. Maternal dietary antigens and the immune response in the offspring of the guinea-pig, 35
TERAO T. *see* SAWADA J.-I.
THELESTAM M. *see* BREMM K.D.
THOMPSON K.M. *see* WIENER E.
THONG Y.H. *see* SEOW W.K.
TIERNAN S.L. *see* CALLARD R.E.
TLASKALOVÁ-HOGENOVÁ H. *see* VĚTVIČKA V.
DU TOIT E. *see* ORREN A.
TOMIOKA H. *see* NAKAMURA H.
TORRESIN A. *see* DALLEGRI F.
TURCOTTE R. A suppressor B lymphocyte inhibiting IL-2 consumption in spleen cell cultures from *Mycobacterium bovis* BCG-infected mice, 439
TURK J.L. *see* BAKER D.

VAN DER TOL M.E. *see* VAN KESSEL K.P.M.
VAN FURTH R. *see* NIBBERING P.H.
VAN KATS-RENAUD H.J. *see* VAN KESSEL K.P.M.
VAN KESSEL K.P.M., VAN STRIJP J.A.G., VAN KATS-RENAUD H.J., MILTENBURG L.A.M., VAN DER TOL M.E., FLUIT A.C. & VERHOEF J. Further evidence against a role for toxic oxygen products as lytic agents in NK-cell mediated cytotoxicity, 675
VAN LOVEREN H. *see* LOS G.
VAN OUDENAREN A. *see* SABBELE N.R.
VAN STRIJP J.A.G. *see* VAN KESSEL K.P.M.
VARGAS I. *see* GAITHER T.A.
VENTO S., CHEN S.-H., GUILIANI-PICCARI G., O'BRIEN C.J., DAL MONTE P.R., EDDLESTON A.L.W.F., HOWARD C.R. & WILLIAMS R. Cellular immunity to nucleocapsid and pre-S determinants in asymptomatic carriers of hepatitis B virus, 593
VERHOEF J. *see* VAN KESSEL K.P.M.
VĚTVIČKA V., TLASKALOVÁ-HOGENOVÁ H., FORNŮSEK L., ŘÍHOVÁ B. & HOLÁŇ V. Membrane and functional characterization of lymphoid and macrophage populations of Peyer's patches from adult and aged mice, 39
VIÑUELA E. *see* CASAL I.

WAHEED A. *see* MAGEE D.M.
WAKELIN D. *see* NEWLANDS, G.F.J.
WALDMANN H. *see* LIGHTMAN S.
WASSOM D.L. *see* ENRIQUEZ F.J.
WATANABE T. *see* YAMASHITA T.
WATKINS D. & COHEN N. Mitogen-activated *Xenopus laevis* lymphocytes produce a T-cell growth factor, 119
WATKINS D., PARSONS S.C. & COHEN N. A factor with interleukin-1-like activity is produced by peritoneal cells from the frog, *Xenopus laevis*, 669

WESTRÖM B.R. *see* TELEMO E.
WIENER E., ATWAL A., THOMPSON K.M., MELAMED M.D., GORICK B. & HUGHES-JONES N.C. Differences between the activities of human monoclonal IgG1 and IgG3 subclasses of anti-D(Rh) antibody in their ability to mediate red cell-binding to macrophages, 401
WILLIAMS J.M., GOREVIC P.D., LOONEY R.J. & ABRAHAM G.N. Isoelectric focusing characterization of IgM-V_{Kiiib} immunoglobulin light chains and their association with anti-IgG autoantibodies in essential mixed cryoglobulinaemia, Sjögren's syndrome and rheumatoid arthritis, 529
WILLIAMS R. *see* VENTO S.
WILSON I.A. *see* STURA E.A.
WING E.J. *see* MAGEE D.M.
WISNIEWSKI E. *see* GINSBURG C.H.

YAMASHITA T., WATANABE T. & SENDO F. Studies on the immunological disturbance in murine *Schistosomiasis japonica* from the viewpoint of the interleukin cascade reaction, 215
YASUI K. *see* KITA E.
YASUMIZU R. *see* IWAI H.
YAYAMA T. *see* KOGA T.
YOSHIDA K. *see* HIRAYAMA Y.
YOSHIDA S. *see* NAKAMURA H.
YOUNG D.B. *see* O'HEHIR R.E.
YOUNG S.P. *see* SALMON M.

Subject Index

Accessory cell function:
  of dendritic cells and macrophages, 393
African swine fever virus:
  specific antibody production in an *in vitro* porcine leucocyte system, 207
AIDS patients, AIDS-risk groups:
  anti-class II antibodies, 599
Allergic arthritis:
  induced by cationic antigen, 265
Allotolerance:
  in *Xenopus*, 315
Antibody-dependent tumour cytolysis:
  by human neutrophils, 387
Antibody–steroid complexes:
  analysis of crystal structure, 511
Anti-class II antibodies:
  in AIDS patients and AIDS-risk groups, 599
Anti-D(Rh) antibodies, human monoclonal:
  differences in mediating red cell-binding to macrophages, 401
Anti-idiotype:
  role in regulation of granuloma formation, 335
Autoantigenic epitopes, on thyroglobulin:
  recognition by T and B cells, 255
Autoimmune uveoretinitis:
  idiotypic expression of antibodies to retinal S-antigen, 537

B-cell activation, human:
  blocked by monoclonal antibodies, 279
B cells:
  effect of corticosteroids upon, 285
  human, high- and low-density subpopulations, 451
Bile immunoglobulin, in the duck:
  antibody responses in influenza A infections, 499
Bone marrow transplantation:
  and successful pancreatic allografts, 457
Cationic antigens:
  induction of allergic arthritis, 265
C3b–IgG complexes:
  covalent, phagocytosis by human monocytes and polymorphs, 45
Cell-surface glycoprotein, novel:
  on leucocytes and platelets, 307
Chicken Bu-la antigen
  ontogeny and tissue distribution, 463
Complement, C3, human:
  monoclonal antibodies to, 413
Complement C6 deficiency:
  and susceptibility to meningococcal infection, 249
Complement cytolysis:
  murine inhibitor of, 145
Complement fragment C3d:
  facilitation of phagocytosis by monocytes, 405
Contact sensitivity:
  induction of sensitization and tolerance by haptenated epidermal cells, 659
Corticosteroids:
  effect upon murine B cells, 285
Cyclophosphamide:
  effect on suppressor T cells during trepomenal infection, 127
Cytotoxic T cells:
  EBV-specific HLA-restricted from infectious mononucleosis, *in vitro* expansion, 647

Delayed-type hypersensitivity:
  to histocompatibility antigens, suppression by UV light, 299
  to syngenic tumours, 89
Dengue virus:
  macrophage function during infection, 493
Dendritic cells and macrophages:
  accessory cell function, 393
Dexamethasone:
  effect on bone-marrow derived mucosal mast cells, 29
Dietary antigens, maternal:
  effect on immune response of offspring, 35

Endometrial granulocytes:
  in human decidua, 329
Epidermal cells; haptenated: induction of sensitization and tolerance in contact sensitivity, 659
Expulsion of *Trichinella spiralis*:
  characterization of immune mediator of, 477

Fc, of IgG:
  site for interaction with streptococci groups A, C and G, 523
Fc receptors:
  enhancement of expression by macrophage colony-stimulating factor, 373

Gastric mucosa, lymphocytes:
  activation of, 613
Glycolipid fucosylation:
  in NK-resistant K562, 75
Granulocyte function:
  modulation by exo- and endotoxins, 363
Granuloma formation:
  role of anti-idiotype in regulating, 335

Haemolymph, American cockroach:
  alteration in protein composition following immunization, 505
Hepatitis B, carriers:
  cellular immunity to nucleocapsid and pre-S determinants, 593
Hepatitis B surface antigen-specific suppressor T cells, in man:
  in vitro induction, 431
Human × mouse leukaemia hybrids:
  expression of CD antigens, 557
Hypothalamic control:
  of natural immunity, 321

Idiotypic expression:
  of antibodies to S-antigen in autoimmune uveoretinitis, 537
IgG2b receptor:
  rat macrophages, 69
IgM-V_{Kiib} light chains:
  characterization and association with anti-IgG autoantibodies, 529
IL-1 and tumour necrosis factor:
  effects on human neutrophil adherence, 357
IL-1, antibodies to:
  raised with synthetic peptides, 543
IL-1-like activity:
  in *Xenopus laevis*, 669
IL-2:
  role with antigen in late primary antibody response, 199
IL-2 consumption:
  inhibition by suppressor B lymphocytes, 439
IL-2, release and response to:
  in *Leishmania major* infection, 485

Immunoglobulin A:
in rat tears, 193
Immunoglobulin-secreting cells of murine small intestine, 551
Infectious mononucleosis:
in vitro expansion of EBV-specific HLA-restricted cytotoxic T cells, 647
Influenza virus:
role of L3T4$^+$ T cells in protection against influenza, 139
Interferon-gamma, human:
stimulation of neutrophil respiratory burst and lysosomal enzyme release, 149
Interleukin:
cascade reaction in murine *Schistosomiasis*, 215
Interleukin-3 production:
a measure of T-cell activation, 665
Ity/Lsh/Bcg gene:
and resistance to *M. lepraemurium*, 587

Langerhans' cells, depletion of:
leads to enhanced skin graft survival, 379
Leishmaniasis, murine:
release and response to IL-2, 485
Leukotriene C_4 receptors:
human polymorphonuclear leucocyte specificity and cellular distribution, 53
Listeria monocytogenes, killed:
induction of DTH but not protection, 241
L3T4$^+$ T cells:
role as effector cells in protection against influenza virus, 139
Lung-associated lymphocytes:
distribution, 641
Lymphocyte migration:
into lamina propria of gut via HEV-like blood vessels, 273
Lymphocyte traffic:
modulation by anti-I-A antibody, 471
Lymphoid dendritic cells, 161

Macrophage colony-stimulating factor:
enhancement of Fc receptor expression, 373
Macrophage functions:
during dengue virus infection, 493
Macrophage IgG2b receptor, 69
Mast cell proteinases:
in *Trichinella spiralis*-infected mice, 629
phenotypic expression in the rat digestive system, 621
Mast cells, bone-marrow derived:
effect of dexamethasone, 29
Measles viral glycoprotein:
cellular immune response to, 605
Membrane antigens, in monocytes:
macrophage differentiation, 171
Mepacrine:
ethanol and phagocyte function, 581
MHC class II, sheep:
immunochemical characterization, 567
subsets, 575
Modulation of murine responses to human IgG
with monoclonal antibodies, 1, 7
Monoclonal antibodies:
modulation of murine responses to human IgG, 1, 7
Monoclonal anti-D(Rh), human:
differences in ability to mediate red cell-binding to macrophages, 401
Mononuclear phagocytes:
quantitative immunochemical characterization, 171
Mucosal mast cells, human gastric:
containing chondroitin sulphate, 23
Mycobacterium lepraemurium, resistance to:
affected by the *Ity/Lsh/Bcg* gene, 587

Natural antibody specificities, age-related:
in NZB-derived hybridomas, 341
Natural immunity:
hypothalamic control, 321
Nematospiroides dubius:
adoptive transfer of resistance to, 223
Neutrophil adherence:
effects of IL-1 and TNF, 357
Neutrophil functions:
effects of monoclonal anti-MO1-α and anti-LFA1-α, 61
Neutrophils, human:
antibody-dependent tumour cytolysis, 387
Neutrophil respiratory burst by human IFN-γ, 149
NK-cell mediated cytotoxicity:
evidence against a role for toxic oxygen products, 675
NK cells and the mixed lymphocyte response:
interaction with transferrin receptor, 81
NK-mediated lysis:
of K562, and increased fucosylation of glycolipids, 75
Non-lymphoid cells, from afferent lymph:
properties and functional activity, 177

Ovine lymphocytes:
development of T lymphocytes in sheep embryo and fetal thymus, 97
development of T lymphocytes in sheep fetal lymph nodes, 107
development of T lymphocytes in sheep fetal spleen, 113

Pancreatic allografts:
with bone marrow transplantation, 457
Pentraxins:
cross-reactions, from different species, 17
Peyer's patches in aged mice:
characterization of lymphoid and macrophage populations, 39
Phagocyte function:
effect of mepacrine and ethanol, 581
Phagocytosis:
by human monocytes and polymorphs, of particles bearing C3–IgG covalent complexes, 45
Phospholipid epitopes:
for antibodies against bromelain-treated erythrocytes, 11

Respiratory syncytial virus:
clearance in immunodeficient mice by transfer of primed T cells, 133
Respiratory tract tissue:
localization of T cells, macrophages and dendritic cells, 349

Salmonella typhimurium:
analysis of immunity to, 235
SAM mice, short-lived:
age-associated decline in immune activities of cultured spleen cells, 419
impaired T-helper cell activity in *in vitro* antibody responses, 425
Schistosomiasis:
interleukin cascade reaction, 215
Secretory IgA:
carrier specificity of anamnestic responses, 185
Skin grafts:
enhanced survival following depletion of Langerhans' cells, 379
Somatostatin, receptor for:
on lymphoid cells, 655
Suppressor B lymphocytes:
inhibition of IL-2 consumption, 439
Syngeneic tumours:
delayed hypersensitivity to, 89
Synthetic peptides, IL-1:
antibodies to, 543

T-cell clone, human:
reactive with *Dermatophagoides farinae*, 635
T-cell growth factor:
from mitogin-activated *Xenopus laevis* lymphocytes, 119
T cells mediating DTH but not protection:
induced by killed *Listeria monocytogenes*, 241
T-helper factor:
antigen specific, in F_1 mice, 445
Thyroglobulin, autoantigenic epitopes:
recognition by T and B cells, 255

Transferrin receptor:
interaction with NK cells, 81
Treponemal infection:
effect of cyclophosphamide on suppressor T cells, 127
Tuberculosis, pathogenesis:
the role of IFNγ, vitamin D_3 metabolites and tumour necrosis factor, 229
Tumour necrosis factor:
mRNA, regulation of transcription by 1,25-dihydroxyvitamin D_3, 153
tumour cell killing by, 153
Ultraviolet radiation:
suppression of DTH to histocompatibility antigens, 299
Vasoactive intestinal peptide:
selective effects on murine T cells, 291